## FMD-1 BLK

30.0" x 21.0" x 7.9" (76.2cm x 53.3cm x 20.1cm)



- Adjustable legs and drip tray allows up to 7" (17.8cm) opening for 20oz cups
- Designed to be easily serviced from front and top of machine
- Improved automatic rinsing of whipper reduces run-on after beverage is dispensed
- Large easy-to-fill translucent hoppers hold 4lb (1.81kg) of product each, ensuring quick and timely refilling
- Lighted graphics merchandise drinks for maximizing profits
- Space saving narrow 8" (20.3cm) cabinet width
- Specially designed mixing system guarantees perfect beverages every time
- Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6 grams of powder per second)

Agency:

## Servers and airpots sold separately

### **Specifications**

**Product #:** 28700.6004

Water Access: Plumbed

Finish: Black Hoppers: One

Door: Lit

# Additional Features

**Door:** Top Hinge

Dispense: Push Button

#### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	136	60°F (15.5°C)	-	-	-

### Plumbing Requirements

PSI		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	-				

#### **CAD Drawings**


2D	Revit	KLC
•		

Created on:

11/13/2015



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



	Unit			Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	7.9 in.	30.0 in.	21.0 in.	-	-	-	0.000 lbs	-	
Metric	20.1 cm	76.2 cm	53.3 cm	-	-	-	0.000 kgs	-	



# Related Products & Accessories: FMD-1 BLK(28700.6004)







## Serving & Holding Options: FMD-1 BLK(28700.6004)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

